

INTERNATIONAL ELECTROTECHNICAL COMMISSION
COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

IEC 60384-14
Edition 5.0 2023-01

IEC 60384-14
Édition 5.0 2023-01

**FIXED CAPACITORS FOR USE IN ELECTRONIC
EQUIPMENT –**

**Part 14: Sectional specification – Fixed
capacitors for electromagnetic interference
suppression and connection to the supply
mains**

**CONDENSATEURS FIXES UTILISÉS DANS
LES ÉQUIPEMENTS ÉLECTRONIQUES –**

**Partie 14: Spécification intermédiaire –
Condensateurs fixes pour la suppression des
interférences électromagnétiques et la
connexion au réseau d'alimentation**

CORRIGENDUM 1

Corrections to the French version appear after the English text.

Les corrections à la version française sont données après le texte anglais.

**3.1.9
by-pass capacitor**

In Note 1 to entry, replace "Y2-capacitors" with "Y-capacitors".

5.3.1.4 Applied voltage

In the NOTE, replace "6.6.3.4" with "6.2.3.4".

Table 7 – Resistance to soldering heat – Requirements

In the third column of the third row, replace "Table 14, or Table 15" with "Table 17 or Table K.3".

5.13.2 Initial measurements

In the first paragraph, replace "Table 14 or Table 15" with "Table 17 or Table K.3".

Table 10 – Damp heat, steady state – Requirements for samples tested without voltage applied

In the third column of the third row, replace "Table 16" with "Table 15".

5.16.2 Initial measurements

In the first sentence, replace "Table 15 or Table K.1" with "Table 17 or Table K.3".

5.18.1.1 General

Replace the last paragraph with the following:

For surface mount capacitors consisting of ceramic and metal only, the passive flammability test may be omitted.

5.18.2.1 General

In the first paragraph, replace "the following alternative test method can be used" with "the following alternative test method may be used".

6.2 Information for marking

In item f), add the closing bracket after the second symbol for direct voltage.

8.4.3.1 Sampling

In the second sentence of the second paragraph, replace "footnote h to Table 16" with "footnote h to Table K.1".

Table 15 – Sampling plan – Tests concerning safety requirements only

In column "Subclause of this document" of Group 3, replace "5.15.4", "5.15.5" and "5.15.6" with "5.15.5", "5.15.6" and "5.15.7", respectively.

Table 16 – Test schedule and sampling plan for lot-by-lot tests

In the first sentence in the fifth row, replace "Group A2" with "Group A1".

Table 17 – Test schedule for safety tests only

In Group 0 in the "Performance requirements" column, the requirement "As in Table 5" is on the line "5.3.3 Tangent of loss angle". Move "As in Table 5" to line "5.3.5, Insulation resistance".

In Group 3 in the "Performance requirements" column, the requirement "No permanent breakdown or flashover" is on the line "5.15 Endurance". Move "No permanent breakdown or flashover" to line "5.14.4 Requirements".

In Group 3 in the "Conditions of test" column, on the line "5.15 Endurance", delete the reference to 5.15.4.

In Group 3, in the "Subclause number and test" column and in the "Conditions of test" column of the row "5.15.8 Final inspection and measurements", replace both occurrences of "5.15.8" with "5.15.9".

In Group 7, "Conditions of test" column, replace "See 5.19.2" with "See 5.19.1 and 5.19.2".

Table 18 – Assessment level

Add footnote c to "C1B" in the "Inspection subgroup" column.

F.2 Test and measurement procedures

In the third and fourth paragraphs, replace "5.3" and "5.4" with "5.4" and "5.5", respectively.

Table F.1 – Test schedule and sampling plan for safety test of surface mount capacitors

In the second column of the fourth row, replace "10" with "12".

In the second bullet point, replace "prescribed in 5.15.7" with "specified in 5.15.8".

H.3 Additional requirement for use of X- and Y-capacitors in DC applications

In the first sentence, replace "Table 13" with "Table 15".

J.2.4 Conductors between terminals

Replace the second sentence of the second paragraph with "Further information about the use of protective coatings and design requirements for circuit boards can be found in IEC 60664-3".

Table K.1 Sampling plan – Safety and performance tests qualification approval – Assessment level DZ

In footnote i, replace "5.15.7" with "5.15.8".

Table K.3 – Test schedule for safety and performance tests qualification approval – Assessment level DZ

In Group 1A, in row "5.2 Dimensions (detail)", replace "Table 13" with "Table 3".

In Group 1B, replace the second occurrence of "5.7.2 Final inspection" with "5.8.3 Final inspection".

In Group 2, row "5.13.3 Test conditions", replace the content of the cell in the "Destructive" column with "Half of the sample with U_R applied; the other half with no voltage applied".

In Group 3, replace "5.15.8 Final measurements" with "5.15.9 Final measurements". Replace the five occurrences of "Table 12" with "Table 3".

In Group 4, replace the four occurrences of "Table 13" with "Table 14".

Table K.4 – Assessment level

In the "Inspection subgroup" column, add footnote c to "C1B".

Table X.1 – Reference to IEC 60384-14 for clause/subclause or annex

In the second column of the header row, replace "IEC 60384-14:20xx" with "IEC 60384-14:2023".

In row "3.5.1.2", replace "3.5.1.2" with "3.5.1.2.2" and "K.2.3" with "K.3.3".

In row "4.14.1.1", replace "5.15.2.2" with "5.15.3".

In row "4.14.2 to 4.14.7", replace "5.15.3 to 5.15.8" with "5.15.4 to 5.15.9".

Table X.2 – Reference to IEC 60384-14 for figure/table

In the second column of the header row, replace "IEC 60384-14:20xx" with "IEC 60384-14:2023".

In the row "Table 3", replace "Table 14" with "Table 15".

In the row "Table 5 upper part", replace "Table 15" with "Table 16".

In the row "Table 6", replace "Table 16" with "Table 17".

In the row "Table 8", replace "Table 17 and Table K.4" with "Table 18 and Table K.4".

In the row "-" below the row "Table 14 and Table 15", replace "Table 11" with "Table 11 and Table 12".

In the row "Table 16 and Table 17", replace "Table 12 and Table 13" with "Table 13 and Table 14".

Bibliography

Add the following reference:

IEC 60664-3, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IECNORM.COM : Click to view the full PDF of IEC 60384-14:2023/COR1:2024

Corrections à la version française:

3.1.9 condensateur de contournement

Dans la Note 1 à l'article, remplacer "condensateurs de classe Y2" par "condensateurs de classe Y".

5.3.1.4 Tension appliquée

Dans la NOTE, remplacer "6.6.3.4" par "6.2.3.4".

Tableau 7 – Résistance à la chaleur de brasage – Exigences

Dans la troisième colonne de la troisième rangée, remplacer "Tableau 14 ou du Tableau 15" par "Tableau 17 ou du Tableau K.3".

5.13.2 Mesures initiales

Dans le premier alinéa, remplacer "Tableau 14 ou du Tableau 15" par "Tableau 17 ou du Tableau K.3".

Tableau 10 – Essai continu de chaleur humide – Exigences pour les échantillons soumis à essai sans tension appliquée

Dans la troisième colonne de la troisième rangée, remplacer "Tableau 16" par "Tableau 15".

5.16.2 Mesures initiales

Dans la première phrase, remplacer "Tableau 15 ou du Tableau K.1" par "Tableau 17 ou du Tableau K.3".

5.18.1.1 Généralités

Remplacer le dernier alinéa par ce qui suit:

Pour les condensateurs pour montage en surface constitués uniquement de céramique et de métal, l'essai d'inflammabilité passive peut être omis.

5.18.2.1 Généralités

Cette correction ne s'applique qu'à la langue anglaise.

6.2 Informations pour le marquage

Dans l'élément f), ajouter la parenthèse de fin après le deuxième symbole représentant la tension continue.

8.4.3.1 Échantillonnage

Dans la deuxième phrase du deuxième alinéa, remplacer "note h du Tableau 16" par "note h du Tableau K.1".

Tableau 15 – Plan d'échantillonnage – Essais sur les exigences de sécurité uniquement

Dans la colonne "Paragraphe du présent document" du Groupe 3, remplacer "5.15.4", "5.15.5" et "5.15.6" par "5.15.5", "5.15.6" et "5.15.7", respectivement.

Tableau 16 – Programme d'essai et plan d'échantillonnage pour les essais lot par lot

Dans la première phrase de la cinquième rangée, remplacer "groupe A2" par "groupe A1".

Tableau 17 – Programme d'essai pour les essais de sécurité uniquement

Dans le Groupe 0 dans la colonne "Exigences de performances", l'exigence "Conformément au Tableau 5" est située sur la ligne "5.3.3 Tangente de l'angle de perte". Déplacer "Conformément au Tableau 5" à la ligne "5.3.5 Résistance d'isolement".

Dans le Groupe 3 dans la colonne "Exigences de performances", l'exigence "Aucun claquage permanent ni contournement" est située sur la ligne "5.15 Endurance". Déplacer "Aucun claquage permanent ni contournement" à la ligne "5.14.4 Exigences".

Dans le Groupe 3, dans la colonne "Conditions d'essai", dans la rangée "5.15 Endurance", supprimer le renvoi vers le 5.15.4.

Dans le Groupe 3, dans la colonne "Numéro du paragraphe et essai" et dans la colonne "Conditions d'essai" de la rangée "5.15.8 Inspection et mesures finales", remplacer les deux occurrences de "5.15.8" par "5.15.9".

Dans le Groupe 7, dans la colonne "Conditions d'essai", remplacer "Voir 5.19.2" par "Voir 5.19.1 et 5.19.2".

Tableau 18 – Niveau d'assurance

Ajouter la note c à "C1B" dans la colonne "Sous-groupe d'inspection".