

INTERNATIONAL STANDARD

ISO/IEC
10646-1

First edition
1993-05-01

AMENDMENT 4
1996-10-15

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

Part 1:

Architecture and Basic Multilingual Plane

AMENDMENT 4

*Technologies de l'information — Jeu universel de caractères codés à
plusieurs octets —*

Partie 1: Architecture et table multilingue

AMENDEMENT 4



Reference number
ISO/IEC 10646-1:1993/Amd.4:1996(E)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 4 to International Standard ISO/IEC 10646-1:1993 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

Part 1:

Architecture and Basic Multilingual Plane

AMENDMENT 4

Page 4

Clause 5

Delete final paragraph, which commences "A UCS Transformation Format ..."

Pages 744 and 745

Annex G

Delete the complete text of the annex, except for the heading Annex G.

Below the heading Annex G insert the following text

"[This annex has been deleted, and its contents have been registered in the "ISO International Register of coded character sets to be used with escape sequences" as Registration no. 178 (revised).]"