

---

---

**Information technology — Coding  
of audio-visual objects —**

**Part 3:  
Audio**

**AMENDMENT 8: MP4FF box for original  
audio file information**

*Technologies de l'information — Codage des objets audiovisuels —*

*Partie 3: Codage audio*

*AMENDEMENT 8: Boîte MP4FF pour information de fichier audio  
originale*

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 8 to ISO/IEC 14496-3:2005 was prepared by Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 14496-3:2005/AMD8:2008

# Information technology — Coding of audio-visual objects —

## Part 3: Audio

### AMENDMENT 8: MP4FF box for original audio file information

#### 1 Scope

*After 1.6.7, add the following subclause:*

#### 1.6.8. Definition of the Original Audio File Information for the ISO Base Media file format

##### 1.6.8.1 Introduction

The Original Audio File Information Box permits the storage of the ancillary (non-audio) data of an original audio file in an ISO Base Media File format file. This file would typically also contain the compressed audio data of the original audio file. This box is particularly useful in combination with lossless audio coding (e.g. MPEG-4 ALS, SLS) when restoration of the original input audio file is of interest.

##### 1.6.8.2 Definition

Container: Meta box ('meta')

Mandatory: No

Quantity: Zero or one

The original audio file information provides information about an original audio file, including a file type, and provides the OriginalHeader(), OriginalTrailer() and AuxData() blocks via the item location box.

The OriginalHeader() block stores the header part of the original audio file and it is referenced from an entry of the item location box. The header part includes all bytes prior to the first audio data sample in the original file.

The OriginalTrailer() block stores the trailer part of the original audio file and it is referenced from an entry of the item location box. The trailer part includes all bytes after the last audio data sample in the original file.

The AuxData() block stores additional information added by the encoder related to the original audio file and is referenced from an entry of the item location box. The contents of AuxData() are not used in reconstructing original file.

The original audio file information is stored as meta-data in a MetaBox. The handler type for this MetaBox is 'oafi', and such a MetaBox must contain a DataBox containing a OrigAudioFileInfoRecord, or identify a primary item whose data is an OrigAudioFileInfoRecord.

### 1.6.8.3 Syntax

The syntax of the Original Audio File Information Box is as follows:

```
aligned(8) class DataBox extends FullBox('data', version=0, 0) {
}

aligned(8) class OrigAudioFileInfoRecord {
    unsigned int(4) file_type;
    unsigned int(4) reserved;
    unsigned int(16) header_item_ID;
    unsigned int(16) trailer_item_ID;
    unsigned int(16) aux_item_ID;
    if (file_type == "1111") string original_MIME_type;
}
```

The syntax of OriginalHeader(), OriginalTrailer() and AuxData() is shown in Tables AMD8.1, AMD8.2, and AMD8.3. The original\_MIME\_type is a Null-terminated string in UTF-8 characters identifying the original file type.

**Table AMD8.1 — Syntax of OriginalHeader()**

| Syntax  | No. Of bits                           | Mnemonic                     |
|---|---------------------------------------|------------------------------|
| OriginalHeader()<br>{<br><b>header_length</b><br><b>orig_header[];</b><br>} | <b>64</b><br><b>header_length * 8</b> | <b>bslbf</b><br><b>bslbf</b> |

**Table AMD8.2 — Syntax of OriginalTrailer()**

| Syntax  | No. Of bits                            | Mnemonic                     |
|---|--|------------------------------|
| OriginalTrailer()<br>{<br><b>trailer_length;</b><br><b>orig_trailer[];</b><br>} | <b>64</b><br><b>trailer_length * 8</b> | <b>bslbf</b><br><b>bslbf</b> |

**Table AMD8.3 — Syntax of AuxData()**

| Syntax  | No. Of bits                        | Mnemonic                     |
|---|------------------------------------|------------------------------|
| AuxData()<br>{<br><b>aux_length;</b><br><b>aux_data[];</b><br>} | <b>64</b><br><b>aux_length * 8</b> | <b>bslbf</b><br><b>bslbf</b> |

#### 1.6.8.4 Semantics

`file_type` describes the type of the original input file (see Table AMD8.4 for a description of possible values).

**Table AMD8.4 — `file_type` values**

| Field                  | #Bits | Description / Values   |
|------------------------|-------|--|
| <code>file_type</code> | 4     | 0000 = unknown / raw file<br>0001 = wave file<br>0010 = aiff file<br>0011 = bwf file<br>0100 = Sony Wave64 file (.w64)<br>0101 = bwf with RF64<br>1111 = "escape" for MIME type<br>(other values are reserved) |

`header_item_ID` is the ID that references the `OriginalHeader()` entry in the item location box. If this value is 0, there is no `OriginalHeader()` information. If the `OriginalHeader()` was empty (of zero length) then an explicitly empty `OriginalHeader()` item should be supplied.

`trailer_item_ID` is the ID that references the `OriginalTrailer()` entry in the item location box. If this value is 0, there is no `OriginalTrailer()` information. If the `OriginalTrailer()` was empty (of zero length) then an explicitly empty `OriginalTrailer()` item should be supplied.

`aux_item_ID` is the ID that references the `AuxData()` entry in the item location box. If this value is 0, there is no `AuxData()` information. If the `AuxData()` was empty (of zero length) then an explicitly empty `AuxData()` item should be supplied.

The elements of `OriginalHeader`, `OriginalTrailer` and `AuxData` are shown in Tables AMD8.5, AMD8.6, and AMD8.7.

**Table AMD8.5 — Elements of `OriginalHeader()`**

| Field                      | #Bits                        | Description / Values                        |
|----------------------------|------------------------------|---|
| <code>header_length</code> | 64                           | Size of the original header field in bytes. |
| <code>orig_header[]</code> | <code>header_length*8</code> | Header of original audio file               |

**Table AMD8.6 — Elements of `OriginalTrailer()`**

| Field                       | #Bits                         | Description / Values                         |
|-----------------------------|-------------------------------|--|
| <code>trailer_length</code> | 64                            | Size of the original trailer field in bytes. |
| <code>orig_trailer[]</code> | <code>trailer_length*8</code> | Trailer of original audio file               |

**Table AMD8.7 — Elements of `AuxData()`**

| Field                   | #Bits                     | Description / Values                       |
|-------------------------|---------------------------|--|
| <code>aux_length</code> | 64                        | Size of the auxiliary data field in bytes. |
| <code>aux_data</code>   | <code>aux_length*8</code> | Auxiliary data (not required for decoding) |

## 1.6.8.5 Informative: Example MP4 file

An example MP4 file containing original header, original trailer and auxiliary data is shown in Figure AMD8.1.


Input file: Wave file

Figure AMD8.1 — Possible order of blocks