

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

**REV. A**  
**AS123020 THRU AS123119**

FEDERAL SUPPLY CLASS  
5330

**RATIONALE**

THIS DOCUMENT HAS BEEN DETERMINED TO CONTAIN BASIC AND STABLE TECHNOLOGY WHICH IS NOT DYNAMIC IN NATURE.

**STABILIZED NOTICE**

THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY THE SAE E-25 GENERAL STANDARDS FOR AEROSPACE AND PROPULSION SYSTEMS COMMITTEE AND WILL NO LONGER BE SUBJECTED TO PERIODIC REVIEWS FOR CURRENCY. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST.

SAENORM.COM : Click to view the full PDF of as123020a

**SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS123020A>**



CUSTODIAN: E-25		PROCUREMENT SPECIFICATION: NONE	
	<b>AEROSPACE STANDARD</b>		<b>AS123020 THRU AS123119</b>
	GASKET - ALUMINUM - NON ASBESTOS, ANNULAR		

ISSUED 1998-08 REAFFIRMED 2007-06 STABILIZED 2014-07

NOTICE


THIS DOCUMENT HAS BEEN TAKEN DIRECTLY FROM U.S. MILITARY SPECIFICATION AN123020 THRU AN123119 REV. 7 AND CONTAINS ONLY MINOR EDITORIAL AND FORMAT CHANGES REQUIRED TO BRING IT INTO CONFORMANCE WITH THE PUBLISHING REQUIREMENTS OF SAE TECHNICAL STANDARDS. THE INITIAL RELEASE OF THIS DOCUMENT IS INTENDED TO REPLACE AN123020 THRU AN123119 REV. 7. ANY PART NUMBERS ESTABLISHED BY THE ORIGINAL SPECIFICATION REMAIN UNCHANGED.

THE ORIGINAL MILITARY SPECIFICATION WAS ADOPTED AS AN SAE STANDARD UNDER THE PROVISIONS OF THE SAE TECHNICAL STANDARDS BOARD (TSB) RULES AND REGULATIONS (TSB 001) PERTAINING TO ACCELERATED ADOPTION OF GOVERNMENT SPECIFICATIONS AND STANDARDS. TSB RULES PROVIDE FOR (A) THE PUBLICATION OF PORTIONS OF UNREVISED GOVERNMENT SPECIFICATIONS AND STANDARDS WITHOUT CONSENSUS VOTING AT THE SAE COMMITTEE LEVEL, AND (B) THE USE OF THE EXISTING GOVERNMENT SPECIFICATION OR STANDARD FORMAT.

UNDER DEPARTMENT OF DEFENSE POLICIES AND PROCEDURES, ANY QUALIFICATION REQUIREMENTS AND ASSOCIATED QUALIFIED PRODUCTS LISTS ARE MANDATORY FOR DOD CONTRACTS. ANY REQUIREMENT RELATING TO QUALIFIED PRODUCTS LISTS (QPL'S) HAS NOT BEEN ADOPTED BY SAE AND IS NOT PART OF THIS TECHNICAL REPORT.

SAENORM.COM : Click to view the full PDF of as123020A

	<b>AEROSPACE STANDARD</b>	AS123020 THRU AS123119 SHEET 1 OF 3	REV. A
	GASKET - ALUMINUM - NON ASBESTOS, ANNULAR		



ØD	PART NO.
.203-.188	AN123020
.265-.250	AN123021
.327-.312	AN123022
.390-.375	AN123023
.453-.438	AN123024
.515-.500	AN123025
.577-.562	AN123026
.640-.625	AN123027
.703-.688	AN123028
.765-.750	AN123029
.827-.812	AN123030
.890-.875	AN123031
.953-.938	AN123032
1.015-1.000	AN123033
1.077-1.062	AN123034
1.140-1.125	AN123035
1.203-1.188	AN123036
1.265-1.250	AN123037
1.327-1.312	AN123038
1.390-1.375	AN123039
1.453-1.438	AN123040

ØD	PART NO.
1.515-1.500	AN123041
1.577-1.562	AN123042
1.640-1.625	AN123043
1.703-1.688	AN123044
1.765-1.750	AN123045
1.827-1.812	AN123046
1.890-1.875	AN123047
1.953-1.938	AN123048
2.015-2.000	AN123049
2.077-2.062	AN123050
2.140-2.125	AN123051
2.203-2.188	AN123052
2.265-2.250	AN123053
2.327-2.312	AN123054
2.390-2.375	AN123055
2.453-2.438	AN123056
2.515-2.500	AN123057
2.577-2.562	AN123058
2.640-2.625	AN123059
2.703-2.688	AN123060
2.765-2.750	AN123061

ØD	PART NO.
2.827-2.812	AN123062
2.890-2.875	AN123063
2.953-2.938	AN123064
3.015-3.000	AN123065
3.077-3.062	AN123066
3.140-3.125	AN123067
3.203-3.188	AN123068
3.265-3.250	AN123069
3.327-3.312	AN123070
3.390-3.375	AN123071
3.453-3.438	AN123072
3.515-3.500	AN123073
3.577-3.562	AN123074
3.640-3.625	AN123075
3.703-3.688	AN123076
3.765-3.750	AN123077
3.827-3.812	AN123078
3.890-3.875	AN123079
3.953-3.938	AN123080
4.015-4.000	AN123081